



SHRI RAM COLLEGE OF COMMERCE

University of Delhi, Maurice Nagar, Delhi – 110007
Phone : 27667905, 27666519 • Fax : 27666510
Website: www.srcc.edu • email : srcc@srcc.edu

13.05.13

Notice

The undersign invites sealed quotations for shooting range. Interested firms may submit their quotations to the undersigned by name in double sealed cover, the outer cover being addressed to the Principal, Shri Ram College of Commerce, University of Delhi (North Campus) Delhi 110007. Quotations may be deposited earliest by **03-00 PM on or before 27.05.2013**. The envelop should be prominently superscripted as “Quotation for Shooting Range”

ITEMS TO BE INCLUDED IN THE SHOOTING RANGE

1. **Shooters Table:** Iron Frame (2 inch x 2 inch Square Pipe) with 3/4 Inch Wooden Board on Top.

Dimension Of The Table: 12 ft x 2 ft x 32 inches (L X B X H) with Carpeting on the top and paint on all sides.

2. **Shooting Targets Wooden Wall Paneling:** Iron Frame (2" X 2" Square Pipe) with 1.6" Wooden Board/Ply.

Dimension Of the Paneling: 12 ft x 8 ft (L X B) -- Carpeting on the front and paint on all sides.

3. **Lighting The Shooting Range As Per ISSF Standards With Wiring** -- Led Lights (Philips / Imported) Minimum 8 Pcs of Led Lights (18/27 Watt Each).The lighting has to be very precise and as per guidelines laid down by ISSF standards.

4. **Carpeting In The Shooters:** Carpeting Should Minimum 0.5 Mm And Green In Colour .

Dimensions -- 12 ft x 4 ft (L X B)

5. **Target Machines and Pulley Carrier** – Electrical: 4 set

6. **Partition of range area and the stadium:** Iron frame (2" x 2" square pipe) with 3/4" of wooden ply/acrylic sheet

Dimension of Each Partition: 6 ft x 6 ft: 3 no. with complete paint work

A collapsible /portable range has to be built so that the area can be used for other purposes as and when required .the wooden board or ply used should be of very high quality (ISI marked) and electrical wiring should also be of standard company.

The range has to be built as per ISSF standards and a certification of the range, should be provided by the builder.

Yours Faithfully

Dr. P.C.Jain
Principal